



BRÜGGEMANN

LRGS

Air Rescuer Harness System

Personal protective equipment

The Air Rescuer Harness System (LRGS) has been specifically designed for the demanding operations of air rescue professionals and meets the latest European safety standards for personal protective equipment. It combines maximum safety, exceptional comfort and versatile adaptability to ensure optimum protection at every stage of a rescue operation.

A comprehensive range of accessories makes the harness a reliable companion in any operational scenario, providing the flexibility needed to effectively meet a wide range of challenges.

The system has been rigorously tested by the German Armed Forces, with particular emphasis on the demanding requirements of mountain and sea rescue missions.

The jacket-style design allows the harness to be put on quickly and securely, even in difficult conditions or when wearing protective equipment such as flight helmets. Special markings minimise the risk of misuse, even in low light conditions.

The 10-step length adjustment provides a precise fit that can be customised to suit different body sizes and additional equipment.



P/N: 905090-11

- Material Polyester
- Total weight 7.0 kg / 15,4 lb
- Payload 150 kg / 330 lb
- Service life 10 years
- CE conformity declaration



LRGS	Standard	Description
Harness	DIN 361 DIN 813	<ul style="list-style-type: none"> • Quick application in jacket principle – easy and reliable even under challenging conditions • Perfect fit – 10-fold length adjustment allows optimal adaptation to body size and additional equipment • Attachment points: Sternum (A/2); Dorsal (A); Ventral
Quick Out - short	DIN 354	<ul style="list-style-type: none"> • Connecting device with D-ring attachment on the aircraft side and carabiner hook for the harness
Quickout - adjustable	DIN 354	<ul style="list-style-type: none"> • Connecting device with D-ring attachment on the aircraft side and carabiner hook for the harness
Quickout - dorsal	DIN 354	<ul style="list-style-type: none"> • Restraint system in the aircraft Connecting device with D-ring attachment on the aircraft side and carabiner hook for the harness
Accessories	DIN 354 DIN567 DIN 362	<ul style="list-style-type: none"> • 1.5 m safety lanyard with rope clamp • 3 additional steel carabiners with increased strength
Bag	-	<ul style="list-style-type: none"> • Storage of LRGS components and technical documentation (A5) • Customizable

